EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("20040073828"|"20050240737"|"5488723"|"6625751").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 15:13
S2	6399	((717/130,141,145,147,148,153) or (709/201,212,213,216) or (712/28) or (719/312,316)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 16:23
S3	443	(shar$3 writ$3) near instruction with (insert$3 instrument$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 16:25
S4	12	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 16:27
S5	3172	distributed adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 16:27
S6	7	distributed adj memory near2 update	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 16:27
S7	9	automatic$4 near2 (insert$3 instrument$5) with (parallel$7 distributed) with code	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/16 13:41
S8	38922	automatic$4 with parallel$7	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/16 13:42
S9	5	S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/16 13:41

S10	6410	((717/130,141,145,147,148,153) or (709/201,212,213,216) or (712/28) or (719/312,316)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/16 13:42
S11	77	S8 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 13:42
S12	459	automatic$4 with parallel$7 with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/16 13:42
S13	3	S10 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/16 13:42
S14	50	(US-6205528-$ or US-5666519-$ or US-5889990-$ or US-5946467-$ or US-5371890-$ or US-5392390-$ or US-5410662-$ or US-5495610-$ or US-5666553-$ or US-5701423-$ or US-5737514-$ or US-5745672-$ or US-5751939-$ or US-5864657-$ or US-5909559-$ or US-5958070-$ or US-5964834-$ or US-5983259-$ or US-6003112-$ or US-6064721-$ or US-6122734-$ or US-6138274-$ or US-4490785-$ or US-4536840-$ or US-4569018-$ or US-4839859-$).did. or (US-4922193-$ or US-4975836-$ or US-5001625-$ or US-5197135-$ or US-5210873-$ or US-5253359-$ or US-5261104-$ or US-5317680-$ or US-5371871-$ or US-5379057-$ or US-5386525-$ or US-5428789-$ or US-5465351-$ or US-5475843-$ or US-5519851-$ or US-5524253-$ or US-5537295-$ or US-5566302-$ or US-5581736-$ or US-5596714-$ or US-5598511-$ or US-5675362-$ or US-5682553-$ or US-5701430-$).did.	USPAT	OR	ON	2007/01/16 13:49
S15	0	program with parallelizatoin	USPAT	OR	ON	2007/01/16 13:49
S16	93	program with parallelization	USPAT	OR	ON	2007/01/16 13:49
S17	11	S10 and S16	USPAT	OR	ON	2007/01/16 13:53
S18	83	automatic$4 near paralleliz$5	USPAT	OR	ON	2007/01/16 13:56
S19	23	automatic$4 near paralleliz$5 with program	USPAT	OR	ON	2007/01/16 14:30

EAST Search History

S20	629	(writ$3 stor$3) with shared with distributed	USPAT	OR	ON	2007/01/16 14:31
S21	98	S10 and S20	USPAT	OR	ON	2007/01/16 14:31
S22	25	(writ$3 stor$3) with shared with distributed same (runtime load$3)	USPAT	OR	ON	2007/01/16 15:09
S23	84	"distributed shared-memory"	USPAT	OR	ON	2007/01/16 15:09
S24	19	"distributed shared-memory" same (writ$3 stor$3)	USPAT	OR	ON	2007/01/16 15:24
S25	77	cache adj coheren$2 near3 instruction	USPAT	OR	ON	2007/01/16 15:24
S26	5	"distributed shared memory" same instrument$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 15:13
S27	4	("20040073828"|"20050240737"|"5488723"|"6625751").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 15:18
S28	2	load and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/17 15:18
S29	3	load$3 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:00
S30	278	(instrument$5 insert$3) near instruction with load$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 08:01
S31	6411	((717/130,141,145,147,148,153) or (709/201,212,213,216) or (712/28) or (719/312,316)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/18 08:01
S32	17	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 08:08
S33	0	(717/130and717/166).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/18 08:09

S34	405	(717/130).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/18 08:09
S35	140	(717/166).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/18 08:09
S36	1	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:08
S37	278	(instrument$5 insert$3) near instruction with load$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 09:55
S38	4	("20040073828"|"20050240737"|"5488723"|"6625751").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 09:56
S39	0	S37 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/18 09:56
S40	1	load adj time adj instrumentation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:39
S41	80	instrument$5 same class adj load$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:40
S42	6411	((717/130,141,145,147,148,153) or (709/201,212,213,216) or (712/28) or (719/312,316)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/18 10:40
S43	25	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:41

S44	0	coherence same instrument$5 same "load time"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:42
S45	759	coherence same instrument$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:42
S46	5	(instrument$5 insert) with load$1time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:42
S47	5	(instrument$5 insert$3) with load$1time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:43
S48	129654	(instrument$5 insert$3) with load$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:43
S49	20	S45 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 11:43
S50	10	(US-20040093588-$ or US-20020199172-$ or US-20040158819-$ or US-20050039171-$ or US-20040163077-$).did. or (US-6611955-$ or US-5802585-$ or US-7047521-$ or US-6760903-$ or US-6314558-$).did.	US-PGPUB; USPAT	OR	ON	2007/01/18 13:57
S51	166812	load$3 with stor$3	US-PGPUB; USPAT	OR	ON	2007/01/18 13:57
S52	4	S50 and S51	US-PGPUB; USPAT	OR	ON	2007/01/18 13:57

S53	10	(US-20040093588-$ or US-20020199172-$ or US-20040158819-$ or US-20050039171-$ or US-20040163077-$).did. or (US-6611955-$ or US-5802585-$ or US-7047521-$ or US-6760903-$ or US-6314558-$).did.	US-PGPUB; USPAT	OR	ON	2007/01/18 15:12
S54	2	just-in-time and S53	US-PGPUB; USPAT	OR	ON	2007/01/18 15:17
S55	2	(just-in-time jit) and S53	US-PGPUB; USPAT	OR	ON	2007/01/18 15:20
S56	4	dynamic adj instrumentation and S53	US-PGPUB; USPAT	OR	ON	2007/01/18 15:20

P⊛RTAL

USPTO

Search: ⦿ The ACM Digital Library   ○ The Guide

instrument load-time

SEARCH

🕮 Feedback Report a problem Satisfaction survey

Terms used **instrument** **load** **time**   Found **6,909** of **196,780**

| Sort results by | relevance ⬛ |
| Display results | expanded form ⬛ |

❖ Save results to a Binder
🔋 Search Tips
☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

1 Instrumentation of standard libraries in object-oriented languages: the twin class hierarchy approach

Michael Factor, Assaf Schuster, Konstantin Shagin
October 2004 **ACM SIGPLAN Notices , Proceedings of the 19th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications OOPSLA '04**, Volume 39 Issue 10
Publisher: ACM Press

Full text available: 🔲 pdf(227.01 KB)   Additional Information: full citation, abstract, references, citings, index terms

Code instrumentation is widely used for a range of purposes that include profiling, debugging, visualization, logging, and distributed computing. Due to their special status within the language infrastructure, the <i>standard class libraries</i>, also known as <i>system classes</i> provided by most contemporary object-oriented languages are difficult and sometimes impossible to instrument. If instrumented, the use of their rewritten versions within the instrumentation code is ...

Keywords: code instrumentation, inheritance, java, standard class libraries

2 Developing the statistical parameters for simultaneous variation in final payload and total load time

Govindan Kannan, Michael C. Vorster, Julio C. Martinez
December 1999 **Proceedings of the 31st conference on Winter simulation: Simulation--a bridge to the future - Volume 2 WSC '99**
Publisher: ACM Press
Full text available: 🔲 pdf(140.72 KB)   Additional Information: full citation, references, index terms

3 Object-oriented programming languages and systems (OOP): RAIL: code instrumentation for .NET

Bruno Cabral, Paulo Marques, Luís Silva
March 2005 **Proceedings of the 2005 ACM symposium on Applied computing SAC '05**
Publisher: ACM Press
Full text available: 🔲 pdf(143.04 KB)   Additional Information: full citation, abstract, references, index terms

Code instrumentation is a mechanism that allows modules of programs to be completely

⊙ PÖRTAL
USPTO

Search: ⊙ The ACM Digital Library   ○ The Guide

load time instrumentation   **SEARCH**

Feedback   Report a problem   Satisfaction survey

Terms used **load time instrumentation**   Found **52,511** of **196,780**

Sort results by | relevance |

Display results | expanded form |

● Save results to a Binder

? Search Tips

☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 20 of 200   Result page: **1**   2   3   4   5   6   7   8   9   10   next
Best 200 shown   Relevance scale ☐ ☐ ▣ ■ ■

1   Developing the statistical parameters for simultaneous variation in final payload and total load time
Govindan Kannan, Michael C. Vorster, Julio C. Martinez
December 1999 **Proceedings of the 31st conference on Winter simulation: Simulation--a bridge to the future - Volume 2 WSC '99**
Publisher: ACM Press
Full text available: 📄 pdf(140.72 KB)   Additional Information: full citation, references, index terms

2   Instrumentation of standard libraries in object-oriented languages: the twin class hierarchy approach
Michael Factor, Assaf Schuster, Konstantin Shagin
October 2004 **ACM SIGPLAN Notices , Proceedings of the 19th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications OOPSLA '04**, Volume 39 Issue 10
Publisher: ACM Press
Full text available: 📄 pdf(227.01 KB)   Additional Information: full citation, abstract, references, citings, index terms

Code instrumentation is widely used for a range of purposes that include profiling, debugging, visualization, logging, and distributed computing. Due to their special status within the language infrastructure, the <i>standard class libraries</i>, also known as <i>system classes</i> provided by most contemporary object-oriented languages are difficult and sometimes impossible to instrument. If instrumented, the use of their rewritten versions within the instrumentation code is ...

Keywords: code instrumentation, inheritance, java, standard class libraries

3   Object-oriented programming languages and systems (OOP): RAIL: code instrumentation for .NET
Bruno Cabral, Paulo Marques, Luís Silva
March 2005 **Proceedings of the 2005 ACM symposium on Applied computing SAC '05**
Publisher: ACM Press
Full text available: 📄 pdf(143.04 KB)   Additional Information: full citation, abstract, references, index terms

Code instrumentation is a mechanism that allows modules of programs to be completely